



SB/PH1-1012 SERIES MANUAL SHUTTLE FOR SAMPLING & PROTOTYPE MEDICAL & PHARMACEUTICAL MACHINE



SB1/PH1-1012

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

SB/PH1-1012 SERIES MANUAL SHUTTLE FOR SAMPLING & PROTOTYPE MEDICAL & PHARMACEUTICA MACHINE

YOUR MARKET ... OUR SOLUTIONS

The **SB/PH1-1012 Series** single-station table top manual shuttle type heat sealers are designed for product development and package sampling. These machines are specifically designed for medical applications using foils, medical papers, Tyvek and other heat sealable lidstock.

For production machines please consider Starview's **SB/PH1-1418, 1824** or **1836** Series manual shuttle, **MS/PH1** Series auto-shuttle, **MR/PH2** Series manual rotary, **ERB/PH** Series semi automatic Rotary, **FAB/PH** automatic rotary or **CBS/PH** inline conveyor sealing machines.



the **STARVIEW** **ADVANTAGE**

- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage databases.
- A Starview exclusive remote access via an EWON remote system gives management access to real-time process information from the machine.
- On-screen temperature calibration standard with optional on-screen pressure calibration available to simplify validation using direct access validation ports.
- Economical table top machine for clean room or laminar flow hood operation to produce production equivalent prototype and sample packages.
- Generous use of stainless steel and polycarbonate in the structure for the most durable finish in the industry.
- Temperature and pressure validation using optional direct access ports for ease of connection.
- High pressure sealing press used in conjunction with matched aluminum tooling to give consistent sealing patterns with any heat sealable medical lidding materials.
- Industry leading design, construction, features and customer support.



CONSUMER GOODS



FOOD



MEDICAL DEVICE



PHARMACEUTICAL



NUTRACEUTICAL



AFTERMARKET PARTS

Markets we serve everyday

more on next page

SB/PH1-1012 SERIES SPECIFICATIONS

	SB/PH1-1012
Nominal sealing area:	10" x 12"
Number of open stations:	1
Heating system:	1 zone
Maximum tray depth:	3.0"
Average cycle speed:	1 – 6 cpm
Electrical:	115 volts / 1 PH / 13 Amps

Specifications and model availability are subject to change without notice.



Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com
sales@starviewpackaging.com



Copyright 2022 Starview Packaging Machinery, Inc.